FILE COPY. Copy to Town Clerk & B.I.

Please quete 14/SDE/380 565

29th April 1958



Dear Sir,

LYNCOMBE VALE FARM, PLOUGHING OF PUBLIC FOOTPATH.

My Assistant informs me that you have now ploughed the above footpath, in accordance with your letter to the Town Clerk, and that you have replaced the posts marking the footpath.

The surface, however, is far from satisfactory, and while in fine weather, it is reasonably convenient for the exercise of the public right of way, rain would cause it to turn to mud, and it would be impassable without collecting a considerable amount of mud on one's shoes and clothing.

I would suggest that as well as treating the surface in some manner, you move the posts which are now only two feet apart, to a distance of three feet.

Yours faithfully,

City & Waterworks Engineer.

650

The Town Clerk's Dept.,

Enc.

Inspected .

11

20.

From

P/SG.

GUILDHALL, BATH.

19th February 195 8.

To City Engineer,

Guildhall,

Bath.

Public Footpath - Lyncombe Vale Farm.

MEMORANDUM

I enclose a copy of a letter I have received from Mr. P. Dingle giving notice of intention to plough the land across which the public footpath linking Foxhill with Lyncombe Vale crosses. I also enclose a copy of my reply to Mr. Dingle.

Would you kindly have this path inspected both before and after the ploughing so as to ensure Section 56 of the National Parks and Access to Countryside Act, 1949 is complied with.

1 Marsh

Town Clerk.

	58 222		
q .	58.072		4
4.	58 635	n	U.
CITY NOME TO DET.			
101 20 FEB 1958			P.C.E.
	way bo	A	5

Par Det

Copy for City Engineer.

19th Pobruary:

A. 4

P/88.

Dear Sir.

Lyncombe Vale Farm - Ploughing of public Footpath.

I am in receipt of your letter of the 47th instant giving notice of your intention to plough the field across which runs the public footpath linking Forhill with Lyncombe Vale. I take it that it is your intention to plough the path at the same time as you are ploughing the remainder of the field, and I am accordingly accepting your letter as the requisite seven days notice under Section 56 of the National Parks and Access to Countryside Act, 1949 for this purpose.

I would, however, draw your attention to Section 5(3) of that Act which provides that where a public path is ploughed after the necessary notice has been given, the occupier of the land shall as soon as may be after the ploughing is completed make good the surface of the path so as to make it reasonably convenient for the exercise of the public right of way. Any person who fulls to comply with this provision is liable on summary conviction to a fine not exceeding \$10.

Tours fuithfully,

(Signed) JARED E. DIXON

Toma Glask.



Copy.



The Town Clerk,

17th February, 1957.

Dear Sir,

Re: Lyncombe Vale Farm.

I wish to inform you that within the next fortnight, weather permitting, I intend to plough the field across which runs a public footpath linking Foxhill Hill with Lyncombe Vale. I understand that seven days notice is necessary before cultivations begin, and this will be observed.

Yours faithfully,

(Signed)

EB. . . 21

Also Copy to Building Inspector

7

FILE COPY

Please quote :-495 (12) 565.

18th April,

Dear Sir,

FOOTPATH LINKING FOXHILL AND LYNCOMBE VALE.

and the same and any state and any state and any state and any state a

I refer to your application to alter the position of a kissing-gate on the public footpath across Lyncombe Vale Farm.

I have no objection to this taking place providing that it is replaced on the line of the existing right of way.

Yours faithfully,

(J. OWENS) City & Waterworks Engineer

Tel. Combe Pour, 3rd. April 1957 The Town Clerk. Dar Sir, Re: Footpath linking Foxfull + Lyncombe Vale. I wish to make an application for remission to move a tumstile giving access to a right of way across fyncombe Vale Fam. In order to make a track to Forhill Cottage, it is necessary to move the foot path turnstile four yards down the path, beeping in line with the escisting path, but making a hard core approach to the right of way. Jam Deall - with . [14] 6. E. Dept. 18-4-57 Yours faith fully,